Red Angus



Please review these points prior to collecting samples to help avoid any issues that could cause unnecessary sample failure.

Once the samples have been collected, the Instructions Tab will help you complete the DNA Order form.

Hair Card

- The usable DNA is located in the hair follicle or root/bulb.
- Collect hair sample from the middle of the animal's tail switch (end of tail).
- A minimum of 20 30 visible follicles are needed for each sample.
- Hair is not recommended on calves as a minimum of 40 50 follicles are needed for each sample.
- Hair must be clean of feces, mud, etc. If necessary remove foreign matter from tail prior to collecting the sample.
- Collected sample must be dry. Wet samples deteriorate quickly and have a higher probability of failing.
- Place follicle end of hair between the films on the hair card as soon as it is collected. Do not pu sample in Ziplock baggie.
- MUST be placed on a hair card. Align follicles under clear top film and stick down film to the card to secure sample.
- Trim Excess hair around the outside of the card. Make sure you DO NOT trim off follicles.
- Keep carded hair sample out of direct sunlight, extreme temperatures, dust and moisture.
- Hair samples can be shipped in a standard shipping box or padded envelope.
- Subject to \$5 lab processing fee.

Blood Card

- Ideal sample collection locations include the ear, the underside of the tail or drawing blood and placing on card later.
- Use a new sterile needle for each animal to prevent contamination. Do not simply wash the needle between animals.
- Ensure that the location of the sample collection is clean. Wipe area with a dry paper towel if necessary
- Fill the entire pre-printed circle on the card with blood. Be sure to not oversaturate or flood the card.
- Prevent direct contact between wet cards as cross contamination can occur.
- Allow sample to dry for at least 24 hours prior to closing card. Place flap in first slot to create a tent over wet sample.
- Once dry, rubberband samples together in submission order. We do not suggest putting samples in baggies.
- Keep sample out of direct sunlight, extreme temperatures, dust and moisture.
- Twin animals SHOULD NOT have a blood sample submitted for DNA testing, it will fail or cause sample comparison issues.
- Blood samples can be shipped in a standard shipping box or padded envelope.

Tissue Sampling Unit (TSU)

- Only to be collected from the ear with an Allflex Tissue Sampling Collection system.
- Make sure the sample does not include an area of the ear that has been tattooed.
- If necessary, clean ear prior to collecting sample with a dry paper towel to remove any foreign matter.
- Ensure that the TSU is sealed by noting that the green ball is inside the tube and the red stopper is flush with the top.
- Check to see that there is liquid visible in the TSU PRIOR to sending samples. Dry samples cannot be tested.
- Check to see that there is a visible amount of tissue in the TSU. TSUs without tissue cannot be tested.
- Keep TSUs at a constant (room) temperature before, during and after sampling. DO NOT FREEZE and avoid direct sunlight.
- Do not ship TSUs in a basic envelope as they will rip out and be lost in the mail. Use a padded envelope or box.

Semen

- Does not have to be viable in order to be tested.
- Ensure that the straw has been thawed properly and is at room temperate before shipping.
- Place each straw in a separate Ziplock bag to prevent any possibility of cross-contamination.
- Place straw in the cartridge of a pen (ink removed). Carefully package samples in a box.
- Only 1/4 of a 1cc straw is needed. If inventory is limited deposit semen onto a blood card, let dry and submit accordingly.
- Subject to a \$2 processing fee.

If DNA kits are needed, please contact the RAAA office at (940)387-3502 ext. 8 or email dna@redangus.org.

DNA Submission Instructions

Step 1: Fill out RAAA DNA Order Form

- Provide Animal and Sample Information.
 - Registration number MUST be listed in order to connect DNA result to animals pedigree or place DNA 'on file'.
 - DNA Sample Barcode is on the back of the DNA card or side of the TSU. Use the NAAB Semen Code for semen.
 - If animal is not registered include all identifying information (Date-of-Birth(DOB), ID and Sex).
- Select Test(s) for each sample.
 - Genetic Defect(s): Write the abbreviation (SEE BELOW) for the defect to be tested for. Example 'OS'.
 - Parentage: Run on any parent and calves to verify to eachother. Request by marking X in Parentage column.
 - GGP: ANIMAL MUST BE REGISTERED. Includes Parentage. Request by marking X in respective column.
- Enter Potential Parent options.
 - Enter sire and dam registration number **OR** Group Name of Multi-Sire or Dam group in respective column.
 - If parent is not a RAAA registered animal, provide breed abbreviation with that assoc. registration #.

 Ex: Canadian Angus = CAN#######, American Angus = UAN######, Simmental = USM#######

Step 2: Complete Breeding Group information (if applicable)

- Provide information for the multiple sire and/or dam groups on Breeding Group Tab.
 - For calf samples that need compared to a group: Write respective group name on order form as parent option(s).
 - If parent is not a RAAA registered animal, provide breed abbreviation with that assoc. registration #.

 Ex: Canadian Angus = CAN#######, American Angus = UAN######, Simmental = USM#######

Step 3: Send order to RAAA

- E-mail completed Excel file to dna@redangus.org.
- Mail copy of signed order form, payment and samples to RAAA Office:

Attn DNA

18335 E. 103rd AVE

Suite 202

Commerce City, CO 80022

Test Pricing

| Hair Sample Processing FeeAdditional to test fee\$5Semen Straw Processing FeeAdditional to test fee\$2AMArthrogryposis Multiplex - Curly Calf\$20CAContractural Arachnodactyly - Fawn Claf\$20MAAlpha-Mannisodosis\$20NHNeuropathic Hydrocephalus - Waterhead\$10\$20OSOsteopetrosis - Marble Bone\$20DDDevelopmental Duplication\$20\$25BLACKBlack/Red Gene Carrier\$15Parentage (On File)Places sire/donor dam on file, verifies calf to parent & vis versa\$15BVDRoving Viral Diarrhea\$6*\$8 | Test Name | Description | Added to GGP | Price |
|--|-----------------------|--|--------------|-------|
| AM Arthrogryposis Multiplex - Curly Calf CA Contractural Arachnodactyly - Fawn Claf MA Alpha-Mannisodosis NH Neuropathic Hydrocephalus - Waterhead OS Osteopetrosis - Marble Bone DD Developmental Duplication \$20 \$20 \$20 \$20 \$20 \$20 \$20 \$2 | Hair Sample Processin | ng Fee Additional to test fee | | \$5 |
| CA Contractural Arachnodactyly - Fawn Claf MA Alpha-Mannisodosis \$20 NH Neuropathic Hydrocephalus - Waterhead \$10 \$20 OS Osteopetrosis - Marble Bone \$20 DD Developmental Duplication \$20 BLACK Black/Red Gene Carrier \$15 Parentage (On File) Places sire/donor dam on file, verifies calf to parent & vis versa \$15 | Semen Straw Processi | ing Fee Additional to test fee | | \$2 |
| MAAlpha-Mannisodosis\$20NHNeuropathic Hydrocephalus - Waterhead\$10\$20OSOsteopetrosis - Marble Bone\$20DDDevelopmental Duplication\$20\$25BLACKBlack/Red Gene Carrier\$15Parentage (On File)Places sire/donor dam on file, verifies calf to parent & vis versa\$15 | AM | Arthrogryposis Multiplex - Curly Calf | | \$20 |
| NHNeuropathic Hydrocephalus - Waterhead\$10\$20OSOsteopetrosis - Marble Bone\$20DDDevelopmental Duplication\$20\$25BLACKBlack/Red Gene Carrier\$15Parentage (On File)Places sire/donor dam on file, verifies calf to parent & vis versa\$15 | CA | Contractural Arachnodactyly - Fawn Claf | | \$20 |
| OS Osteopetrosis - Marble Bone \$20 DD Developmental Duplication \$20 \$25 BLACK Black/Red Gene Carrier \$15 Parentage (On File) Places sire/donor dam on file, verifies calf to parent & vis versa \$15 | MA | Alpha-Mannisodosis | | \$20 |
| DDDevelopmental Duplication\$20\$25BLACKBlack/Red Gene Carrier\$15Parentage (On File)Places sire/donor dam on file, verifies calf to parent & vis versa\$15 | NH | Neuropathic Hydrocephalus - Waterhead | \$10 | \$20 |
| Black/Red Gene Carrier \$15 Parentage (On File) Places sire/donor dam on file, verifies calf to parent & vis versa \$15 | os | Osteopetrosis - Marble Bone | | \$20 |
| Parentage (On File) Places sire/donor dam on file, verifies calf to parent & vis versa \$15 | DD | Developmental Duplication | \$20 | \$25 |
| | BLACK | Black/Red Gene Carrier | | \$15 |
| Roving Viral Diarrhea \$6* | Parentage (On File) | Places sire/donor dam on file, verifies calf to parent & vis versa | | \$15 |
| boville vital blattilea 90 90 | BVD | Bovine Viral Diarrhea | \$6* | \$8 |

*Price if added to GGP, Parentage or Defect

GeneSeek Genomic Profile (GGP): Animal must have RAAA registration number

| GGP-HD | High Density (150K) - Genomic EPD Enhancement, Parentage, OS and MA testing | \$90 |
|------------------|---|------|
| GGP-LD | Low Density (100K) - Genomic EPD Enhancement, Parentage, OS and MA testing | \$50 |
| GGP-LD De | ect Bundle everything included in GGP-LD (100K) + DD, NH, CA and AM defects | \$95 |
| GGP-ULD | Ultra Low Density (30K) - Genomic EPD Enhancement and Parentage | \$35 |



RAAA DNA ORDER FORM



| | Address: | Member: |
|------|---|-----------|
| Fax: | Phone: | Member #: |
| | This is my first time completing DNA with RAA | |

Email to use for **all** order inquiry/communication Include check made to RAAA, provide card info or call ahead with card. Payment due upfront =

submitted sample in an effort to describe the animal's genetics. The submitting party further agrees and acknowledges that it assumes all risks that are associated with the genetic testing results and any associated implications. RAAA has the rig Terms: Upon submitting samples to the Red Angus Association of America (RAAA), the submitting party conveys ownership of the sample to RAAA. The submitting party agrees and acknowledges that RAAA intends to perform genetic testing

publication of genetic testing results. The term 'submitting party' shall mean any RAAA member/customer submitting a DNA sample that notified will follow RAAA Rules and Regulations. The submitting party agrees that all samples are submitted to RAAA in an effort to fulfill the RAAA mission of advancing the quality, reliability, and value of Red Angus and Red Angus influenced se any results determined through the genetic testing publidy available. In the event that the submission of this/these samples results in a parentage exclusion(s) or identification of genetic defect carerie(s), the process through which owners/bre the commercial beef industry. Therefore, RAAA shall not be held responsible for damages of any kind, including but not limited to, lost profits, lost value of progeny, lost value of embryos and/or semen, interruption of business that may aris file with RAAA.

Signature:

| 14 | 13 | 12 | 11 | 10 | 9 | ∞ | 7 | 6 | 5 | 4 | ω | 2 | 1 | |
|----------|----|----|----|----|---|---|----------|----------|---|----------|---|---|---|--|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 4. |
| | | | | | | | | | | | | | | ning. |
| | | : | | | | | | <u> </u> | | | | | | \ ⁹ /6. |
| | | | | | | | | | | | | | | Animal ID Trattooy |
| | | | | | | | | | | | | | | 100 |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Peg. |
| | | | | | | | | | | | | | | Registration ANIMAL REGISTRATION PRODUCTION AND ANIMAL PRODUCTION AND ANIMAL PROPERTY |
| | | | | | | | | | | | | | | Pro William \ |
| | | | | | | | | | | | | | | ANIMAL AND SAMP |
| | | | | | | | | | | | | | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| | | | | | | | | | | | | | | \ \ |
| | | | | | | | | | | | | | | / '&\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \ |
| | | | | | | | | | | | | | | . \ ° ≦ |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | | | | | | | | | | | | | | Op Care I |
| | | | | | | | | | | | | | | 'ang'ong Z |
| | | | | | | | | | | | | | | ANIMAL AND SAMPLE INFORMATION |
| | | | | | | | <u> </u> | | | <u> </u> | | | | COR SANDIE TAREBUATITY |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 100 |
| | | | | | | | | | | | | | | On too |
| <u> </u> | | | _ | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Set MIL |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | · · · · · · |
| | | | | | | | | | | | | | | Miric Defection Parce |
| | | | | | | | | | | | | | | Tie Oex |
| | | | | | | | | | | | | | | A TOPE OCK |
| | | | | | | | | | | | | | | BUD Strengton |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Step. |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | TESTING OF THE TIME OF TIME OF THE TIME OF |
| | | | | | | | | | | | | | | 18/0/ 18/0 |
| | | | | | | | | | | | | | | RESTING OPTIONS CONTROL SURVEY SURV |
| | | | | | | | | | | | | | | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | | | | | | | | | | | | | | 10 12 1 Z |
| | | | | | | | | | | | | | | Siz VEIN |
| | | | | | | | | | | | | | | 17 |
| | | | | | | | | | | | | | | C. C. |
| | | | - | | | | | | | | | | | NS POT |
| | | | | | | | | | | | | | | Valle 1 |
| | | | | | | | | | | | | | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| | | | | | | | | | | | | | | Ç, % ₂ \ ∑ |
| | | | | | | | | | | | | | | Oup Orc. |
| | | | | | | | | | | | | | | POTENTIAL PARENTS |
| | | | | | | | į | | | į | | į | | ON TO THE |
| | | | | | | | | | | | | | | 6.78 G |
| | | | | | | | | | | | | | | 101 88# \ |
| | | | | | | | | | | | | | | No Vol |
| | | | | | | | | | | | | | | Name Oan Dan Oan Oan Group Name |
| | | | • | | | | | | | | | | | • |

| 16 17 18 19 20 21 22 23 24 25 26 27 28 31 31 32 33 34 35 36 37 38 |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

THIS PAGE IS A CONTINUATION OF THE RAAA DNA ORDER FORM AND CANNOT BE SUBMITTED ALONE!

Multi-Sire or Dam Group Information

*IF SAMPLE ENCLOSED = YES Then animal must be listed on Order Form for at least Parentage (on file)

Fill out for multisire pastures or dam groups only

| Group Name: | | | | | | | | | |
|----------------|------|----|------|-------------|----------|--------|-------------------|--|--|
| Please Circle: | SIRE | or | DAM | Association | Reg # | Tattoo | Sample Enclosed?* | | |
| | | | 1 | | | | | | |
| | | | 2 | | | | | | |
| | | | 3 | | | | | | |
| | | | 4 | | | | | | |
| | | | 5 | | | | | | |
| | | | 6 | | <u> </u> | | | | |
| | | G | roup | Name: | | | | | |
| Please Circle: | SIRE | or | DAM | Association | Reg # | Tattoo | Sample Enclosed?* | | |
| | | | 1 | | | | | | |
| | | | 2 | | | | | | |
| | | | 3 | | | | | | |
| | | | 4 | | | | | | |
| | | | 5 | | | | | | |
| | | | 6 | | <u> </u> | | | | |
| | | G | roup | Name: | | | | | |
| Please Circle: | SIRE | or | DAM | Association | Reg # | Tattoo | Sample Enclosed?* | | |
| | | | 1 | | | | | | |
| | | | 2 | | | | | | |
| | | | 3 | | | | | | |
| | | | 4 | | | | | | |
| | | | 5 | | | | | | |
| | | | 6 | | <u> </u> | | | | |
| | | G | roup | Name: | | | | | |
| Please Circle: | SIRE | or | DAM | Association | Reg # | Tattoo | Sample Enclosed?* | | |
| | | | 1 | | | | | | |
| | | | 2 | | | | | | |
| | | | 3 | | | | | | |
| | | | 4 | | | | | | |
| | | | 5 | | | | | | |
| | | | 6 | | | | | | |